

10


SERIE MISCELATORI, RUBINETTERIA ED ACCESSORI MIXERS AND ACCESSORIES

M16 = female connection
M18 = male connection
M22 = female connection

M24 = male connection
M28 = male connection

M16 = attacco femmina
M18 = attacco maschio

M22 = attacco femmina
M24 = attacco maschio
M28 = attacco maschio



**Aeratore regolabile
con snodo,
a 2 funzioni**

Adjustable articulated aerator, 2 functions

cod.	misura	pz. x conf.	euro cad.
1708000000	22 x 1	10	3,000



**Aeratore prolungato
a due funzioni**

Extended aerator
with two jets

cod.		pz. x conf.	euro cad.
1700NT0000	bianco	10	3,600
1701NT00CR	nero/cromato	10	4,100



**Aeratore
inserto in ottone**
Aerator with
brass cartridge

cod.	misura	pz. x conf.	euro cad.
13140TT000	M 22 x 1	10	0,800
13130TT000	M 24 x 1	10	0,800
1317V0TT00	M 28 x 1 vasca	10	1,200

ECO



**Aeratore
inserto in plastica**
Aerator with
plastic cartridge

cod.	misura	pz. x conf.	euro cad.
1314000000	M 22 x 1	10	0,740
1313000000	M 24 x 1	10	0,740
1317000000	M 28 x 1 vasca	10	1,100

ECO



Full Flow

Aeratore MINIMAL
MINIMAL aerator

cod.	misura	pz. x conf.	euro cad.
13140TTM16	M 16 x 1	10	1,190
13130TTM18	M 18 x 1	10	1,300

ECO



**Aeratore
in ottone cromato
con snodo**

Chrome plated
articulated brass aerator

cod.	misura	pz. x conf.	euro cad.
1316000000	M 22 x 1	10	3,800
1315000000	M 24 x 1	10	3,650

ECO



1313 / 1314 = 13.5 – 15.0 l/min. 1317 = 27.0 – 30.0 l/min.

flow, stop and go*

**Aeratore in ottone
cromato CASCADE®**
Chrome plated brass
CASCADE® aerator

cod.		pz. x conf.	euro cad.
1314NEOCAS	M 22 x 1	10	2,900
1313NEOCAS	M 24 x 1	10	2,900
1317NEOCAS	M 28 x 1 vasca	5	6,400

NEOPERL®



13.5 – 15.0 l/min.

**cartuccia
CASCADE®**
CASCADE®
cartridge

cod.	misura	pz. x conf.	euro cad.
1301032094	M22 / M24	10	2,300

NEOPERL®

flow, stop and go*

M16 = female connection
M18 = male connection
M22 = female connection
M24 = male connection
M28 = male connection

M16 = attacco femmina
M18 = attacco maschio
M22 = attacco femmina
M24 = attacco maschio
M28 = attacco maschio



NEOPERL®

7.5 – 9.0 l/min.

flow, stop and go*

Aeratore in ottone crom.
CASCADE® SLC®
a risparmio acqua
Chrome plated brass
CASCADE® SLC® aerator water saving

cod.		pz. x conf.	euro cad.
1314NEOCAR	M 22 x 1	10	6,250
1313NEOCAR	M 24 x 1	10	6,250



NEOPERL®

7.5 – 9.0 l/min.

flow, stop and go*

Cartuccia
CASCADE® SLC®
a risparmio acqua
Cartidge CASCADE® SLC®
water saving

cod.	misura	pz. x conf.	euro cad.
1301812095	M22 / M24	10	3,500



NEOPERL®

1313 / 1314 = 13.5 – 15.0 l/min. 1317 = 27.0 – 30.0 l/min.

flow, stop and go*

Aeratore
perlator "LL"
"L L" perlator aerator

cod.	misura	pz. x conf.	euro cad.
1314PERLLL	M 22 x 1	10	1,700
1313PERLLL	M 24 x 1	10	1,700
1317PERLLL	M 28 x 1 vasca	5	2,800



NEOPERL®

flow, stop and go*

Filtro aeratore LL
Aerator cartridge LL

cod.	misura	pz. x conf.	euro cad.
1313LLLFI	M22 / M24	10	0,950



NEOPERL®

7,5 - 9,0 l/min.

flow, stop and go*

DL ECONOM
DL ECONOM

cod.	misura	pz. x conf.	euro cad.
1340460095	M 22 x 1	10	1,720
1340460195	M 24 x 1	10	1,720



NEOPERL®

flow, stop and go*

7,5 - 9,0 l/min.

DL Econom cartuccia
interna senza guarn.

DL Econom internal cartridge
without gasket

cod.	misura	pz. x conf.	euro cad.
1340460295	M22 / M24	5	1,000



NEOPERL®

13.5 – 15.0 l/min.

flow, stop and go*

DL aeratore
DL aerator

cod.	misura	pz. x conf.	euro cad.
1340460395	M 22 x 1	10	1,450
1340460495	M 24 x 1	10	1,450



NEOPERL®

flow, stop and go*

13.5 – 15.0 l/min.

DL cartuccia
interna senza guarn.
DL internal cartridge
without gasket

cod.	misura	pz. x conf.	euro cad.
1340460595	M22 / M24	5	1,000

10 SERIE MISCELATORI, RUBINETTERIA ED ACCESSORI MIXERS AND ACCESSORIES

M16 = female connection
M18 = male connection
M22 = female connection

M24 = male connection
M28 = male connection

M16 = attacco femmina
M18 = attacco maschio

M22 = attacco femmina
M24 = attacco maschio
M28 = attacco maschio



NEOPERL®

flow, stop and go*

Full Flow

	cod.	pz. x conf.	euro cad.
HONEYCOMB TT®	1314NEOM16	M16 x 1	10 4,300
HONEYCOMB TT®	1313NEOM18	M18 x 1	10 4,100
	1301560145	3/8"	10 5,250



NEOPERL®

flow, stop and go*

Full Flow

	cod.	pz. x conf.	euro cad.
HONEYCOMB TT® cartuccia interna HONEYCOMB TT® internal cartridge	1302560145	3/8" M16 - M18	5 3,500



NEOPERL®

flow, stop and go*

M22 / 24 13.5 – 15.0 l/min.

M28 27.0 – 30.0 l/min.

	cod.	pz. x conf.	euro cad.
HONEYCOMB®	1301401595	M22 x 1	10 1,650
HONEYCOMB®	1301401695	M24 x 1	10 1,650
	1301401795	M28 x 1	10 4,100

M22 / 24



M28



NEOPERL®

flow, stop and go*

M22 / 24 13.5 – 15.0 l/min.

M28 27.0 – 30.0 l/min.

	cod.	pz. x conf.	euro cad.
HONEYCOMB® cartuccia interna HONEYCOMB® internal cartridge	1301401895	3/8" M22 - M24	5 1,400
	1301402095	3/8" M28	5 1,900



NEOPERL®

flow, stop and go*

8 l/min.

	cod.	pz. x conf.	euro cad.
HONEYCOMB TT PCA®	1301562845	M16 x 1	10 5,100
HONEYCOMB TT PCA®	1301564845	M18 x 1	10 5,100
	1301560845	3/8"	10 6,500



NEOPERL®

flow, stop and go*

8 l/min.

	cod.	pz. x conf.	euro cad.
HONEYCOMB PCA® cartuccia interna HONEYCOMB PCA® internal cartridge	1302560845	3/8" M16 / M18	5 4,300



NEOPERL®

flow, stop and go*

7,5 - 9,0 l/min.

	cod.	pz. x conf.	euro cad.
HONEYCOMB ECONOM®	1301403095	M22 x 1	10 1,650
HONEYCOMB ECONOM®	1301403195	M24 x 1	10 1,650



NEOPERL®

flow, stop and go*

7,5 - 9,0 l/min.

	cod.	pz. x conf.	euro cad.
HONEYCOMB ECONOM® cartuccia interna HONEYCOMB ECONOM® internal cartridge	1301403295	M22 - M24	5 1,400



1301871395 / 1301881395 = 13.5 – 15.0 l/min.

130107094 = 27.0 – 30.0 l/min.

NEOPERL®

flow, stop and go*

aeratore	cod.	misura	pz. x conf.	euro cad.
CASCADE® SLC®	1301871395	M 22 x 1	10	3,100
CASCADE® SLC®	1301881395	M 24 x 1	10	3,100
aerator	1301071094	M 28 x 1 vasca	5	8,460



NEOPERL®

flow, stop and go*

M22 / 24 13.5 – 15.0 l/min.	M28 27.0 – 30.0 l/min.			
cartuccia	cod.	misura	pz. x conf.	euro cad.
CASCADE® SLC®	1302871195	M22 / M24	10	2,800
CASCADE® SLC®	1301081094	M28	10	4,250
cartridge				



NEOPERL®

flow, stop and go*

13.5 – 15.0 l/min.

SSR aeratore con snodo incorporato	cod.	misura	pz. x conf.	euro cad.
SSR aerator with integrated articulation	1301705094	M 22 x 1	10	5,570
	1301705494	M 24 x 1	10	5,570



NEOPERL®

flow, stop and go*

13.5 – 15.0 l/min.

SSR cartuccia con snodo incorporato	cod.	misura	pz. x conf.	euro cad.
SSR cartridge with integrated articulation	1301705894	M 22 / M24	10	3,750




NEOPERL®

flow, stop and go*

13.5 – 15.0 l/min.

Aeratore Coin Slot	cod.	misura	pz. x conf.	euro cad.
Coin Slot aerator	1345302894	M 24 x 1	10	4,300



NEOPERL®

flow, stop and go*

7.0 l/min.

CACHE'® HONEYCOMB PCA®	cod.	misura	pz. x conf.	euro cad.
CACHE'® HONEYCOMB PCA®	1343225590	TJ, M 18,5 x 1	5	4,200



NEOPERL®

flow, stop and go*

Full Flow

CACHE'® HONEYCOMB®	cod.	misura	pz. x conf.	euro cad.
CACHE'® HONEYCOMB®	1301515190	TT, M 16,5 x 1	5	3,150




NEOPERL®

flow, stop and go*

13.5 – 15.0 l/min.

Cartuccia CACHE'® CASCADE® SLC®	cod.	misura	pz. x conf.	euro cad.
CACHE'® CASCADE® SLC® cartridge	1340020390	M 24 x 1	5	5,890




NEOPERL®

flow, stop and go*

13.5 – 15.0 l/min.

CACHE'® HONEYCOMB®	cod.	misura	pz. x conf.	euro cad.
CACHE'® HONEYCOMB®	1301515590	TJ, M 18,5 x 1	5	3,150



NEOPERL®

flow, stop and go*

13.5 – 15.0 l/min.

CACHE'® HONEYCOMB®	cod.	misura	pz. x conf.	euro cad.
CACHE'® HONEYCOMB®	1301510190	JR, M 21,5 x 1	5	3,150



NEOPERL®

8,3 l/min.

flow, stop and go®

SLIM AIR PCA

SLIM AIR PCA aerator

cod.	misura	pz. x conf.	euro cad.
1345305190	M 24 x 1	10	4,350



NEOPERL®

flow, stop and go®

Regolatore di portata
docce PCR

PCR shower flow regulator

cod.	misura	pz. x conf.	euro cad.
1302629994	1/2" x 1/2"	10	14,300



NEOPERL®

flow, stop and go®

13.5 – 15.0 l/min.

Aeratore rettangolo
Rectangle aerator

cod.	misura	pz. x conf.	euro cad.
1302325990	40 x 10 mm	5	21,000



1302328290 24 x 6 mm 5 13,900

1302328490 28 x 7 mm 5 15,900

1302328990 24,5 x 9 mm 5 13,900



1302328090 32 x 8 mm 5 17,950



NEOPERL®

flow, stop and go®

Riduzione
1/2" x M22x1

Reduction 1/2" x M22x1

cod.	pz. x conf.	euro cad.
1350092094 ottone cromato	10	5,690



NEOPERL®

flow, stop and go®

Riduzione
M22x1 x M24x1

Reduction M22x1 x M24x1

cod.	pz. x conf.	euro cad.
1333051144 plastica	10	2,790
1350050394 ottone nichelato	10	5,910



M 24 x 1

NEOPERL®

flow, stop and go®



M 18 x 1



M 16 x 1

Snodo cromato
per bidet

Bidet chromed swivel

cod.	misura	pz. x conf.	euro cad.
1306220045	M 24 x 1	10	7,400
1306905598	M 18 x 1	10	9,500
1306904198	M 16 x 1	10	11,000

venduto in blister - sell blistered



NEOPERL®

flow, stop and go®

Riduzione
M22x1 x 3/4"

Reduction M22x1 x 3/4"

cod.	pz. x conf.	euro cad.
1350050894 ottone cromato	10	11,270



NEOPERL®

flow, stop and go®

Riduzione
3/4" x M22x1

Reduction 3/4" x M22x1

cod.	pz. x conf.	euro cad.
1350092594 ottone cromato	10	11,270




NEOPERL®

flow, stop and go®

Riduzione
M24x1 x 3/4"


Reduction M24x1 x 3/4"

cod.	pz. x conf.	euro cad.
1350051094 ottone cromato	10	12,340



NEOPERL®

flow, stop and go®



NEOPERL®

flow, stop and go®

Ø 18,7 mm

Regolatore di flusso
per miscelatori

Mixer flow regulator

cod.	portata	pz. x conf.	euro cad.
1358863512	5 l/min. giallo	10	2,400
1358863712	7 l/min. verde	10	2,400
1358863812	8 l/min. bianco	10	2,400
1358863912	9 l/min. arancione	10	2,400
1358864012	10 l/min. blu	10	2,400
1358864212	12 l/min. rosso	10	2,400

Regolatore di flusso
per docce

Shower flow regulator

cod.	portata	pz. x conf.	euro cad.
1358908710	5 l/min. giallo	10	4,100
1358908910	7 l/min. verde	10	4,100
1358909010	8 l/min. bianco	10	4,100
1358909110	9 l/min. arancione	10	4,100
1358909210	10 l/min. blu	10	4,100
1358909410	12 l/min. rosso	10	4,100




HONEYCOMB
NEOSTRAHL® CLINIC
HONEYCOMB
NEOSTRAHL® CLINIC

cod.	portata	pz. x conf.	euro cad.
1301444195	22 x 1	10	2,900

HONEYCOMB
NEOSTRAHL® CLINIC
HONEYCOMB
NEOSTRAHL® CLINIC

cod.	portata	pz. x conf.	euro cad.
1301444295	24 x 1	10	2,900



NEOPERL®

flow, stop and go®

7,5 - 9 l/min.

HONEYCOMB CLINIC® riduce il rischio di infezione batterica da legionella o Pseudomonas
HONEYCOMB CLINIC® it reduces the risk of bacterial infection from legionella or Pseudomonas

Una sostituzione regolare degli aeratori garantisce un elevato standard di igiene.
HONEYCOMB CLINIC favorisce la regolarità di questa sostituzione grazie ad un semplice sistema di colori: la parte interna dell'aeratore può essere di quattro diversi colori, ciascuno dei quali rappresenta un ciclo di sostituzione.
Questo permette di determinare e di controllare in ogni momento se la sostituzione è stata effettuata correttamente e regolarmente

Regular replacement of the aerators guarantees a high standard of hygiene.
HONEYCOMB CLINIC favors the regularity of this replacement thanks to a simple color system: the interior of the aerator can be of four different colors, each of which represents a replacement cycle.
This allows you to determine and check at any time whether the replacement was done correctly and regularly

cod.	pz. x conf.	euro cad.
1301449195	M22 x 1 blu	10 6,500
1301449295	M24 x 1 blu	10 6,500
1301448195	M22 x 1 verde	10 6,500
1301448295	M24 x 1 verde	10 6,500
1301446195	M22 x 1 rosso	10 6,500
1301446295	M24 x 1 rosso	10 6,500
1301447195	M22 x 1 giallo	10 6,500
1301447295	M24 x 1 giallo	10 6,500

certificati DVGW W270



NEOPERL®

flow, stop and go®

Chiave per aeratori universale
Universal key aerators

cod.	misura	pz. x conf.	euro cad.
1301458097	M 22 M 24 M 28 M 18 CACHE'® TT TJ, JR, STD	10	16,750



NEOPERL®

flow, stop and go®

Chiave nichelata per aeratori rettangolari SAFETY

Nickel plated key SAFETY rectangular aerators

cod.	misura	pz. x conf.	euro cad.
1301355094	M 22 M 24	10	1,100



NEOPERL®

flow, stop and go®

Chiave per aeratori in plastica
Plastic key aerators

cod.	misura	pz. x conf.	euro cad.
1301450094	M 22, M 24, M 28	10	4,280



NEOPERL®

flow, stop and go®

IDROBOX

Kit di aeratori per l'idraulico

PLUMBERS AERATORS KIT

cod.	misura	pz. x conf.	euro cad.
130IDROBOX	21 pezzi/pieces	1	95,000




NEOPERL®

flow, stop and go®

CACHE'® chiave aeratore
CACHE'® key aerator

cod.	misura	pz. x conf.	euro cad.
1309915046	TT, M 16,5 x 1 plastica gialla	10	1,100
1309915146	JR, SLIM AIR M 21,5 x 1 plastica rossa	10	1,100
1309915246	STD, M 24 x 1 plastica grigia	10	1,100
1309915346	TJ, M 18,5 x 1 plastica verde	10	1,100



NEOPERL®

flow, stop and go®

Chiave nichelata per aeratori rettangolari
Nickel plated key for rectangular aerators

cod.	misura	pz. x conf.	euro cad.
1301461396	24 x 6 28 x 7 32 x 8 40 x 10	10	0,850



NEOPERL®

flow, stop and go®

AEROBOX

Scatola completa di aeratori e dima inseriti nel pratico box oltre a quattro chiavi universali con foto prodotti e codici di riferimento
SELLERS AERATORS KIT - Complete range of aerators in a pratic box, together with 4 universal keys with pictures and code reference

cod.	misura	pz. x conf.	euro cad.
130AEROBOX	210 pezzi/pieces	1	875,000