


RACCORDERIA IN OTTONE BRASS FITTINGS



Prolunga in ottone nudo	cod.	misura	pz. x conf.	euro cad.
Yellow brass extension	11570I0C10	3/8" x 10 mm	10	1,684
	11570I0C15	3/8" x 15 mm	10	2,065
	11570I0C20	3/8" x 20 mm	10	2,534
	11570I0C25	3/8" x 25 mm	10	2,766
	11570I0C30	3/8" x 30 mm	10	3,192
	11570I0C40	3/8" x 40 mm	10	3,831
	11570I0C50	3/8" x 50 mm	10	4,682
	11570I0D10	1/2" x 10 mm	10	1,935
	11570I0D15	1/2" x 15 mm	10	2,342
	11570I0D20	1/2" x 20 mm	10	2,766
	11570I0D25	1/2" x 25 mm	10	3,277
	11570I0D30	1/2" x 30 mm	10	3,940
	11570I0D40	1/2" x 40 mm	10	4,895
	11570I0D50	1/2" x 50 mm	10	5,959
	11570I0D100	1/2" x 100 mm	10	14,471
	11570I0F10	3/4" x 10 mm	10	2,766
	11570I0F15	3/4" x 15 mm	10	3,405
	11570I0F20	3/4" x 20 mm	10	4,044
	11570I0F25	3/4" x 25 mm	10	4,534
	11570I0F30	3/4" x 30 mm	10	5,192
	11570I0F40	3/4" x 40 mm	10	6,384
	11570I0F50	3/4" x 50 mm	10	7,557
	11570I0G10	1" x 10 mm	10	4,682
	11570I0G15	1" x 15 mm	10	5,430
	11570I0G20	1" x 20 mm	10	6,384
	11570I0G25	1" x 25 mm	10	7,236
	11570I0G30	1" x 30 mm	10	8,299
	11570I0G40	1" x 40 mm	10	9,576
	11570I0G50	1" x 50 mm	10	11,704



Prolunga ridotta MF in ottone nudo	cod.	misura	pz. x conf.	euro cad.
Reduced round MF yellow brass extension	11580I00BC	1/4" x 3/8"	10	1,765
	11580I00BD	1/4" x 1/2"	10	1,703
	11580I00CD	3/8" x 1/2"	10	1,703
	11580I00CF	3/8" x 3/4"	10	3,192
	11580I00DF	1/2" x 3/4"	10	2,663
	11580I00DG	1/2" x 1"	10	3,514
	11580I00FG	3/4" x 1"	10	3,618
	11580I0FGB	3/4" x 1"1/4	10	5,854
	11580I0GGB	1" x 1"1/4	10	5,643



Prolunga in ottone cromato	cod.	misura	pz. x conf.	euro cad.
Chrome plated brass extension	11570CIC10	3/8" x 10 mm	10	1,852
	11570CIC15	3/8" x 15 mm	10	2,257
	11570CIC20	3/8" x 20 mm	10	2,832
	11570CIC25	3/8" x 25 mm	10	3,089
	11570CIC30	3/8" x 30 mm	10	3,573
	11570CIC40	3/8" x 40 mm	10	4,257
	11570CIC50	3/8" x 50 mm	10	5,108
	11570CID10	1/2" x 10 mm	10	2,238
	11570CID15	1/2" x 15 mm	10	2,598
	11570CID20	1/2" x 20 mm	10	3,089
	11570CID25	1/2" x 25 mm	10	3,618
	11570CID30	1/2" x 30 mm	10	4,257
	11570CID40	1/2" x 40 mm	10	5,385
	11570CID50	1/2" x 50 mm	10	6,493
	1157CID100	1/2" x 100 mm	10	15,748
	11570CIF10	3/4" x 10 mm	10	3,089
	11570CIF15	3/4" x 15 mm	10	3,727
	11570CIF20	3/4" x 20 mm	10	4,365
	11570CIF25	3/4" x 25 mm	10	5,004
	11570CIF30	3/4" x 30 mm	10	5,643
	11570CIF40	3/4" x 40 mm	10	7,023
	11570CIF50	3/4" x 50 mm	10	8,196
	11570CIG10	1" x 10 mm	10	5,321
	11570CIG15	1" x 15 mm	10	6,171
	11570CIG20	1" x 20 mm	10	7,132
	11570CIG25	1" x 25 mm	10	8,196
	11570CIG30	1" x 30 mm	10	9,151
	11570CIG40	1" x 40 mm	10	11,304
	11570CIG50	1" x 50 mm	10	13,695



Prolunga ridotta MF in ottone cromato	cod.	misura	pz. x conf.	euro cad.
Reduced round MF chrome plated extension	11580CI0BC	1/4" x 3/8"	10	2,030
	11580CI0BD	1/4" x 1/2"	10	1,961
	11580CI0CD	3/8" x 1/2"	10	2,598
	11580CI0CF	3/8" x 3/4"	10	3,618
	11580CI0DF	1/2" x 3/4"	10	3,040
	11580CI0DG	1/2" x 1"	10	3,940
	11580CI0FG	3/4" x 1"	10	4,152
	11580CIFGB	3/4" x 1"1/4	10	6,521
	11580CIGGB	1" x 1"1/4	10	6,415



	cod.	misura	pz. x conf.	euro cad.
Riduzione esagonale doppio filetto in ottone nudo Hexagonal double thread yellow brass reduction	11630I00DB	1/2" x 1/4"	10	1,787
	11630I00CD	1/2" x 3/8"	10	1,149
	11630I00FC	3/4" x 3/8"	10	2,663
	11630I00DF	3/4" x 1/2"	10	1,471
	11630I00GC	1" x 3/8"	10	5,004
	11630I00GD	1" x 1/2"	10	3,940
	11630I00FG	1" x 3/4"	10	2,936
	11630I0GBD	1"1/4 x 1/2"	10	7,662
	11630I0GBF	1"1/4 x 3/4"	10	6,706
	11630I0GBG	1"1/4 x 1"	10	5,217
	11630I0GDF	1"1/2 x 3/4"	10	9,576
	11630I0GDG	1"1/2 x 1"	10	7,983
	11630I0GDB	1"1/2 x 1"1/4	10	5,643



	cod.	misura	pz. x conf.	euro cad.
Nipples ridotto doppio filetto in ottone nudo Reduced double thread yellow brass nipple	11610I00CB	3/8" x 1/4"	10	1,386
	11610I00DB	1/2" x 1/4"	10	1,703
	11610I00CD	1/2" x 3/8"	10	1,618
	11610I00FC	3/4" x 3/8"	10	3,089
	11610I00DF	3/4" x 1/2"	10	2,342
	11610I00GD	1" x 1/2"	10	3,747
	11610I00FG	1" x 3/4"	10	4,152
	11610I0GBF	1"1/4 x 3/4"	10	6,384
	11610I0GBG	1"1/4 x 1"	10	6,171
	11610I0GDF	1"1/2 x 3/4"	10	9,151
	11610I0GDG	1"1/2 x 1"	10	8,512
	11610I0GDB	1"1/2 x 1"1/4	10	8,725



	cod.	misura	pz. x conf.	euro cad.
Nipples doppio filetto in ottone nudo Double thread yellow brass nipple	11610I00CC	3/8" x 3/8"	10	1,322
	11610I00DD	1/2" x 1/2"	10	1,599
	11610I00FF	3/4" x 3/4"	10	2,342
	11610I00GG	1" x 1"	10	3,895
	11610I0GBG	1"1/4 x 1"1/4	10	6,810
	11610I0GDG	1"1/2 x 1"1/2	10	8,512
	11610I00HH	2" x 2"	10	13,619




	cod.	misura	pz. x conf.	euro cad.
Riduzione esagonale doppio filetto in ottone cromato Hexagonal double thread chrome plated brass reduction	11630CI0CD	1/2" x 3/8"	10	1,341
	11630CI0DB	1/2" x 1/4"	10	1,935
	11630CI0FC	3/4" x 3/8"	10	2,876
	11630CI0DF	3/4" x 1/2"	10	1,639
	11630CI0GC	1" x 3/8"	10	5,217
	11630CI0GD	1" x 1/2"	10	4,257
	11630CI0FG	1" x 3/4"	10	3,192



	cod.	misura	pz. x conf.	euro cad.
Nipples ridotto doppio filetto in ottone cromato Reduced double thread chrome plated brass nipple	11610CI0CB	3/8" x 1/4"	10	1,554
	11610CI0DB	1/2" x 1/4"	10	1,852
	11610CI0CD	1/2" x 3/8"	10	1,767
	11610CI0FC	3/4" x 3/8"	10	3,301
	11610CI0DF	3/4" x 1/2"	10	2,663
	11610CI0GD	1" x 1/2"	10	4,088
	11610CI0FG	1" x 3/4"	10	4,578




	cod.	misura	pz. x conf.	euro cad.
Nipples doppio filetto in ottone cromato Double thread chrome plated brass nipple	11610CI0CC	3/8" x 3/8"	10	1,471
	11610CI0DD	1/2" x 1/2"	10	1,703
	11610CI0FF	3/4" x 3/4"	10	2,489
	11610CI0GG	1" x 1"	10	4,212



**Tappo femmina
in ottone nudo**
Yellow brass female
plug

cod.	misura	pz. x conf.	euro cad.
11680I000C	3/8"	10	1,064
11680I000D	1/2"	10	1,109
11680I000F	3/4"	10	1,787
11680I000G	1"	10	2,663
11680I000GB	1"1/4	10	4,257




**Tappo femmina
in ottone cromato**
Chrome plated brass
female plug

cod.	misura	pz. x conf.	euro cad.
11680CI00C	3/8"	10	1,213
11680CI00D	1/2"	10	1,322
11680CI00F	3/4"	10	2,129
11680CI00G	1"	10	3,128



**Tappo maschio
in ottone nudo**
Yellow brass male
plug

cod.	misura	pz. x conf.	euro cad.
11660I000C	3/8"	10	1,109
11660I000D	1/2"	10	1,213
11660I000F	3/4"	10	1,916
11660I000G	1"	10	3,192
11660I000GB	1"1/4	10	5,217



**Tappo maschio
in ottone cromato**
Chrome plated brass
male plug

cod.	misura	pz. x conf.	euro cad.
11660CI00C	3/8"	10	1,233
11660CI00D	1/2"	10	1,406
11660CI00F	3/4"	10	2,084
11660CI00G	1"	10	3,405



**Nipples tutto filettato
in ottone nudo**
Yellow brass all
threaded nipple

cod.	misura	pz. x conf.	euro cad.
116200000C	3/8"	10	2,129
116200000D	1/2"	10	2,555
116200000F	3/4"	10	3,554
116200000G	1"	10	4,791



**Ghiera in ottone nudo
doppio filetto**
Yellow brass double
thread ring

cod.	misura	pz. x conf.	euro cad.
116400000CD	3/8" x 1/2"	10	0,747
116400000DF	1/2" x 3/4"	10	1,020
116400000FG	3/4" x 1"	10	1,599
116400000GGB	1" x 1"1/4	10	2,663
116400000GBGD	1"1/4 x 1"1/2	10	2,876



Gomito in ottone nudo MF

Yellow brass MF elbow

cod.	misura	pz. x conf.	euro cad.
11960I000C	3/8"	10	3,469
11960I000D	1/2"	10	3,301
11960I000F	3/4"	10	5,321
11960I000G	1"	10	8,512
11960I000GB	1"1/4	10	14,258
11960I000GD	1"1/2	10	20,642



Gomito in ottone cromato MF

Chrome plated brass MF elbow

cod.	misura	pz. x conf.	euro cad.
11960CI00C	3/8"	10	4,212
11960CI00D	1/2"	10	3,960
11960CI00F	3/4"	10	5,854
11960CI00G	1"	10	10,854



Gomito in ottone nudo FF

Yellow brass FF elbow

cod.	misura	pz. x conf.	euro cad.
11970I000C	3/8"	10	3,405
11970I000D	1/2"	10	3,767
11970I000F	3/4"	10	4,851
11970I000G	1"	10	9,151
11970I000GB	1"1/4	10	14,896
11970I000GD	1"1/2	10	21,281



Gomito in ottone cromato FF

Chrome plated brass FF elbow

cod.	misura	pz. x conf.	euro cad.
11970CI00C	3/8"	10	4,192
11970CI00D	1/2"	10	4,850
11970CI00F	3/4"	10	5,959
11970CI00G	1"	10	10,962



Tee in ottone nudo FFF

Yellow brass FFF T-piece

cod.	misura	pz. x conf.	euro cad.
11980I000C	3/8"	10	4,044
11980I000D	1/2"	10	3,875
11980I000F	3/4"	10	5,063
11980I000G	1"	10	10,111
11980I000GB	1"1/4	10	18,301
11980I000GD	1"1/2	1	27,238
11980I000H	2"	1	35,537



Tee in ottone cromato FFF

Chrome plated brass FFF T-piece

cod.	misura	pz. x conf.	euro cad.
11980CI00C	3/8"	10	5,108
11980CI00D	1/2"	10	4,578
11980CI00F	3/4"	10	6,280
11980CI00G	1"	10	11,917



**Manicotto femmina in
ottone nudo**
Yellow brass female
sleeve

cod.	misura	pz. x conf.	euro cad.
11990I000C	3/8"	10	1,812
11990I000D	1/2"	10	2,238
11990I000F	3/4"	10	2,915
11990I000G	1"	10	5,746
11990I000GB	1"1/4	10	7,023
11990I000GD	1"1/2	10	11,917
11990I000H	2"	1	19,578



**Manicotto ridotto FF in
ottone nudo**
Yellow brass reduced
FF sleeve

cod.	misura	pz. x conf.	euro cad.
11990I00DC	1/2" x 3/8"	10	2,342
11990I00FD	3/4" x 1/2"	10	3,321
11990I0GGD	1" x 1/2"	10	3,980
11990I00GF	1" x 3/4"	10	4,044
11990I0GBF	1"1/4 x 3/4"	10	9,789
11990I0GBG	1"1/4 x 1"	10	7,874
11990IGDGB	1"1/2 x 1"1/4	1	12,343
11990I0HGD	2" x 1"1/2	1	21,281



Barilotti in ottone
Brass tanks

cod.	misura	pz. x conf.	euro cad.
11740TD50	1/2" x 50 mm	10	3,109
11740TD80	1/2" x 80 mm	10	4,469
11740TD100	1/2" x 100 mm	10	5,533
11740TD120	1/2" x 120 mm	10	7,236
11740TD150	1/2" x 150 mm	10	8,512
11740TF50	3/4" x 50 mm	10	4,044
11740TF80	3/4" x 80 mm	10	5,746
11740TF100	3/4" x 100 mm	10	6,597
11740TF120	3/4" x 120 mm	10	8,512
11740TF150	3/4" x 150 mm	10	10,002
11740TG50	1" x 50 mm	10	5,746
11740TG80	1" x 80 mm	10	8,086
11740TG100	1" x 100 mm	10	9,364
11740TG150	1" x 150 mm	10	14,683



**Manicotto femmina in
ottone cromato**
Chrome plated brass
female sleeve

cod.	misura	pz. x conf.	euro cad.
11990CI00C	3/8"	10	2,000
11990CI00D	1/2"	10	2,555
11990CI00F	3/4"	10	3,525
11990CI00G	1"	10	6,280



**Manicotto ridotto FF in
ottone cromato**
Chrome plated brass
reduced FF sleeve

cod.	misura	pz. x conf.	euro cad.
11990CI0FD	3/4" x 1/2"	10	3,727
11990CI0GD	1" x 1/2"	10	4,682
11990CI0GF	1" x 3/4"	10	4,791
11990CIGBF	1"1/4 x 3/4"	10	10,215
11990CIGBG	1"1/4 x 1"	10	8,512



**Raccordi curvi MF con
calotta girevole in
ottone cromato**
Bended connections
MF with chrome plated
brass swivel plug

cod.	misura	pz. x conf.	euro cad.
11770C00DD	1/2" x 1/2"	10	7,874
11770C00DF	1/2" x 3/4"	10	6,810



**Raccordi dritti MF con
calotta girevole in
ottone cromato**
Straight connections
MF with chrome plated
brass swivel plug

cod.	misura	pz. x conf.	euro cad.
11780C00CD	3/8" x 1/2"	10	2,720
11780C00DD	1/2" x 1/2"	10	4,870
11780C00DF	1/2" x 3/4"	10	3,695
11780C00FG	3/4" x 1"	10	5,000
11780C0GGB	1" x 1"1/4	10	7,608




Bocchettoni in ottone nudo MF dritto
Yellow brass MF union pipe streight

cod.	misura	pz. x conf.	euro cad.
12010000D	1/2"	10	5,533
12010000F	3/4"	10	7,874
12010000G	1"	10	13,407
12010000GB	1"1/4	10	17,663
12010000GD	1"1/2	1	33,622
12010000H	2"	1	65,967



Bocchettoni in ottone nudo MF curvo
Yellow brass MF union pipe bended

cod.	misura	pz. x conf.	euro cad.
12010CCG0D	1/2"	10	7,449
12010CCG0F	3/4"	10	10,854
12010CCG0G	1"	10	18,514
12010CCGGB	1"1/4	10	23,408
12010CCGGD	1"1/2	1	43,623
12010CCG0H	2"	1	91,503




Prolunga in ottone nudo ECO
ECO yellow brass extension

cod.	misura	pz. x conf.	euro cad.
1157000C10	3/8" x 10 mm	10	1,320
1157000C15	3/8" x 15 mm	10	1,515
1157000C20	3/8" x 20 mm	10	1,820
1157000C25	3/8" x 25 mm	10	2,120
1157000C30	3/8" x 30 mm	10	2,420
1157000C40	3/8" x 40 mm	10	3,025
1157000C50	3/8" x 50 mm	10	3,780
1157000D10	1/2" x 10 mm	10	1,375
1157000D15	1/2" x 15 mm	10	1,800
1157000D20	1/2" x 20 mm	10	2,145
1157000D25	1/2" x 25 mm	10	2,280
1157000D30	1/2" x 30 mm	10	2,880
1157000D40	1/2" x 40 mm	10	3,200
1157000D50	1/2" x 50 mm	10	3,880
1157000F10	3/4" x 10 mm	10	1,840
1157000F15	3/4" x 15 mm	10	1,920
1157000F20	3/4" x 20 mm	10	2,395
1157000F25	3/4" x 25 mm	10	2,800
1157000F30	3/4" x 30 mm	10	3,530
1157000F40	3/4" x 40 mm	10	4,390
1157000F50	3/4" x 50 mm	10	4,770



Prolunga in ottone cromato ECO
ECO chrome plated brass extension

cod.	misura	pz. x conf.	euro cad.
11570C0C10	3/8" x 10 mm	10	1,400
11570C0C15	3/8" x 15 mm	10	1,590
11570C0C20	3/8" x 20 mm	10	1,900
11570C0C25	3/8" x 25 mm	10	2,220
11570C0C30	3/8" x 30 mm	10	2,530
11570C0C40	3/8" x 40 mm	10	3,170
11570C0C50	3/8" x 50 mm	10	3,900
11570C0D10	1/2" x 10 mm	10	1,480
11570C0D15	1/2" x 15 mm	10	1,900
11570C0D20	1/2" x 20 mm	10	2,300
11570C0D25	1/2" x 25 mm	10	2,550
11570C0D30	1/2" x 30 mm	10	3,000
11570C0D40	1/2" x 40 mm	10	3,350
11570C0D50	1/2" x 50 mm	10	4,725
11570C0F10	3/4" x 10 mm	10	1,950
11570C0F15	3/4" x 15 mm	10	2,050
11570C0F20	3/4" x 20 mm	10	2,555
11570C0F25	3/4" x 25 mm	10	2,940
11570C0F30	3/4" x 30 mm	10	3,700
11570C0F40	3/4" x 40 mm	10	4,600
11570C0F50	3/4" x 50 mm	10	5,150



Prolunga ridotta MF in ottone nudo ECO
ECO yellow brass
MF reduced extension

cod.	misura	pz. x conf.	euro cad.
11580000CD	3/8" x 1/2"	10	1,300
11580000DF	1/2" x 3/4"	10	1,870



Prolunga ridotta MF in ottone cromato ECO
ECO chrome plated
brass MF reduced extension

cod.	misura	pz. x conf.	euro cad.
11580C00CD	3/8" x 1/2"	10	1,420
11580C00DF	1/2" x 3/4"	10	2,020




Nipples doppio filetto in ottone nudo ECO
ECO yellow brass
double thread nipple

cod.	misura	pz. x conf.	euro cad.
11610000CC	3/8" x 3/8"	10	0,930
11610000CD	3/8" x 1/2"	10	1,360
11610000DD	1/2" x 1/2"	10	1,410
11610000DF	1/2" x 3/4"	10	1,940
11610000FF	3/4" x 3/4"	10	2,145



Nipples doppio filetto in ottone cromato ECO
ECO chrome plated
brass double thread
nipple

cod.	misura	pz. x conf.	euro cad.
11610C00CC	3/8" x 3/8"	10	1,050
11610C00CD	3/8" x 1/2"	10	1,445
11610C00DD	1/2" x 1/2"	10	1,555
11610C00DF	1/2" x 3/4"	10	2,070
11610C00FF	3/4" x 3/4"	10	2,405



Riduzione esagonale doppio filetto in ottone nudo ECO
ECO yellow brass
double thread
hexagonal reduction

cod.	misura	pz. x conf.	euro cad.
11630000CD	1/2" x 3/8"	10	1,115
11630000DF	3/4" x 1/2"	10	1,530



Riduzione esagonale doppio filetto in ottone cromato ECO
ECO chrome plated
brass double thread
hexagonal reduction

cod.	misura	pz. x conf.	euro cad.
11630C00CD	1/2" x 3/8"	10	1,440
11630C00DF	3/4" x 1/2"	10	1,690



Gomito in ottone nudo MF ECO
ECO yellow brass
MF elbow

cod.	misura	pz. x conf.	euro cad.
119600000C	3/8"	20	1,800
119600000D	1/2"	20	3,340
119600000F	3/4"	10	4,080



Gomito in ottone cromato MF ECO
ECO chrome plated
brass MF elbow

cod.	misura	pz. x conf.	euro cad.
11960C000C	3/8"	20	2,130
11960C000D	1/2"	20	3,600
11960C000F	3/4"	10	4,300



Gomito in ottone nudo
FF **ECO**

ECO yellow brass
FF elbow

cod.	misura	pz. x conf.	euro cad.
119700000C	3/8"	20	1,620
119700000D	1/2"	20	2,845
119700000F	3/4"	10	4,200



Gomito in ottone
cromato FF **ECO**

ECO chrome plated
brass FF elbow

cod.	misura	pz. x conf.	euro cad.
11970C000C	3/8"	20	1,800
11970C000D	1/2"	20	3,390
11970C000F	3/4"	10	4,600



Manicotto femmina
in ottone nudo **ECO**

ECO yellow brass
female sleeve

cod.	misura	pz. x conf.	euro cad.
119900000C	3/8"	20	1,630
119900000D	1/2"	20	2,040
119900000F	3/4"	10	3,120



Manicotto femmina
in ottone cromato **ECO**

ECO chrome plated
brass female sleeve

cod.	misura	pz. x conf.	euro cad.
11990C000C	3/8"	20	1,710
11990C000D	1/2"	20	2,175
11990C000F	3/4"	10	3,330



Tee in ottone nudo
FFF **ECO**

ECO yellow brass
FFF T-piece

cod.	misura	pz. x conf.	euro cad.
119800000C	3/8"	20	1,750
119800000D	1/2"	20	3,250
119800000F	3/4"	10	4,300



Tee in ottone cromato
FFF **ECO**

ECO chrome plated
brass FFF T-piece


cod.	misura	pz. x conf.	euro cad.
11980C000C	3/8"	20	2,000
11980C000D	1/2"	20	3,480
11980C000F	3/4"	10	4,520



Tappo femmina
in ottone nudo **ECO**

ECO yellow brass
female plug

cod.	misura	pz. x conf.	euro cad.
116800000C	3/8"	10	0,900
116800000D	1/2"	10	1,170
116800000F	3/4"	10	1,880
116800000G	1"	10	2,420



Tappo femmina
in ottone cromato **ECO**

ECO chrome plated
brass female plug


cod.	misura	pz. x conf.	euro cad.
11680C000C	3/8"	10	0,980
11680C000D	1/2"	10	1,250
11680C000F	3/4"	10	2,000
11680C000G	1"	10	2,700

RACCORDERIA IN OTTONE BRASS FITTINGS



**Tappo maschio
in ottone nudo ECO**
ECO yellow brass
male plug

cod.	misura	pz. x conf.	euro cad.
116600000C	3/8"	10	0,870
116600000D	1/2"	10	1,125
116600000F	3/4"	10	1,580
116600000G	1"	10	2,200



**Tappo maschio
in ottone cromato ECO**
ECO chrome plated
brass male plug

cod.	misura	pz. x conf.	euro cad.
11660C000C	3/8"	10	1,020
11660C000D	1/2"	10	1,350
11660C000F	3/4"	10	1,850
11660C000G	1"	10	2,510



**Riduzione in ottone
cromato MF**
Chrome plated brass
MF reduction

cod.	misura	pz. x conf.	euro cad.
11690C0GGB	1" x 1 1/4"	10	3,160
11690CGBGD	1 1/4" x 1 1/2"	10	4,200

RACCORDERIA IN FERRO ZINCATO GALVANIZED IRON FITTINGS



**Prolunga in ferro
zincato**
Galvanized iron
connection

cod.	misura	pz. x conf.	euro cad.
1181F00C10	3/8" x 10	10	0,634
1181F00C15	3/8" x 15	10	0,683
1181F00C20	3/8" x 20	10	0,780
1181F00C25	3/8" x 25	10	1,121
1181F00C30	3/8" x 30	10	1,170
1181F00D10	1/2" x 10	10	0,585
1181F00D15	1/2" x 15	10	0,585
1181F00D20	1/2" x 20	10	0,731
1181F00D25	1/2" x 25	10	1,024
1181F00D30	1/2" x 30	10	1,121
1181F00D40	1/2" x 40	10	2,243
1181F00D50	1/2" x 50	10	2,584
1181F00F10	3/4" x 10	10	1,219
1181F00F15	3/4" x 15	10	1,365
1181F00F20	3/4" x 20	10	1,511
1181F00F25	3/4" x 25	10	2,145
1181F00F30	3/4" x 30	10	2,340
1181F00F40	3/4" x 40	10	3,851
1181F00F50	3/4" x 50	10	4,388
1181F00G15	1" x 15	10	3,266
1181F00G20	1" x 20	10	3,851
1181F00G25	1" x 25	10	4,631
1181F00G30	1" x 30	10	5,070



**Prolunga ridotta MF
in ferro zincato**
Reduced extension
round threaded MF
galvanized iron

cod.	misura	pz. x conf.	euro cad.
1182F000AB	1/8" x 1/4"	10	1,414
1182F000BC	1/4" x 3/8"	10	1,121
1182F000BD	1/4" x 1/2"	10	1,087
1182F000CD	3/8" x 1/2"	10	0,926
1182F000CF	3/8" x 3/4"	10	2,048
1182F000DF	1/2" x 3/4"	10	1,560
1182F000DG	1/2" x 1"	10	3,803
1182F000FG	3/4" x 1"	10	2,730
1182F00GGB	1" x 1 1/4"	10	8,824



Nipples in ferro zincato
Galvanized iron
double thread nipple

cod.	misura	pz. x conf.	euro cad.
1185F000AA	1/8" x 1/8"	10	1,365
1185F000AB	1/4" x 1/8"	10	1,268
1185F000BB	1/4" x 1/4"	10	0,829
1185F000BC	3/8" x 1/4"	10	0,878
1185F000CC	3/8" x 3/8"	10	0,878
1185F000CD	1/2" x 3/8"	10	1,024
1185F000CF	3/4" x 3/8"	10	2,048
1185F000CG	1" x 3/8"	10	2,871
1185F000CA	1/2" x 1/4"	10	1,365
1185F000DD	1/2" x 1/2"	10	1,024
1185F000DF	3/4" x 1/2"	10	1,853
1185F000DG	1" x 1/2"	10	3,559
1185F000FF	3/4" x 3/4"	10	1,316
1185F000FG	1" x 3/4"	10	3,461
1185F000GG	1" x 1"	10	2,876
1185F00GBG	1"1/4 x 1"	10	7,605
1185F00GDG	1"1/2 x 1"	10	9,053



Nipples tutto filetto in ferro zincato
Galvanized iron
threaded nipple

cod.	misura	pz. x conf.	euro cad.
1186F0000B	1/4"	10	1,268
1186F0000C	3/8"	10	0,780
1186F0000D	1/2"	10	0,780
1186F0000F	3/4"	10	1,316
1186F0000G	1"	10	2,048
1186F000GB	1"1/4	10	4,388




Riduzione esagonale in ferro zincato
Galvanized iron
double thread nuts

cod.	misura	pz. x conf.	euro cad.
1187F000AB	1/4" x 1/8"	10	1,024
1187F000AC	3/8" x 1/8"	10	0,878
1187F000AD	1/2" x 1/8"	10	1,268
1187F000BC	3/8" x 1/4"	10	0,731
1187F000BD	1/2" x 1/4"	10	0,829
1187F000CD	1/2" x 3/8"	10	0,731
1187F000CG	1" x 3/8"	10	2,876
1187F000DF	3/4" x 1/2"	10	1,121
1187F000FB	3/4" x 1/4"	10	1,365
1187F000FC	3/4" x 3/8"	10	1,170
1187F000FG	1" x 3/4"	10	2,291
1187F000GD	1" x 1/2"	10	2,438
1187F00GBD	1"1/4 x 1/2"	10	5,324
1187F00GBF	1"1/4 x 3/4"	10	5,231



Controdado esagonale in ferro zincato
Hexagonal galvanized
iron lock-nut

cod.	misura	pz. x conf.	euro cad.
1188F0000A	1/8"	10	1,170
1188F0000B	1/4"	10	0,878
1188F0000C	3/8"	10	1,170
1188F0000D	1/2"	10	1,853
1188F0000F	3/4"	10	2,535
1188F0000G	1"	10	3,900



Dado femmina in ferro zincato
Galvanized iron
female nut

cod.	misura	pz. x conf.	euro cad.
1189F0000A	1/8"	10	0,780
1189F0000B	1/4"	10	1,073
1189F0000C	3/8"	10	0,731
1189F0000D	1/2"	10	0,829
1189F0000F	3/4"	10	1,121
1189F0000G	1"	10	4,095



**Tappo maschio
in ferro zincato**
Galvanized iron plug

cod.	misura	pz. x conf.	euro cad.
1166F0000B	1/4"	10	0,585
1166F0000C	3/8"	10	0,585
1166F0000D	1/2"	10	0,634
1166F0000F	3/4"	10	1,024
1166F0000G	1"	10	2,486



**Manicotto in ferro
zincato**
Galvanized iron sleeve

cod.	misura	pz. x conf.	euro cad.
1176F0000A	1/8"	10	0,926
1176F0000B	1/4"	10	0,829
1176F0000C	3/8"	10	0,829
1176F0000D	1/2"	10	0,926
1176F0000F	3/4"	10	1,219
1176F0000G	1"	10	1,755
1176F000GB	1"1/4	10	2,779
1176F000GD	1"1/2	10	3,413
1176F0000H	2"	10	4,631



Manicotto ridotto MF
Reduced MF sleeve

cod.	misura	pz. x conf.	euro cad.
1180BISFCD	1/2" x 3/8"	10	1,463
1180BISFDF	3/4" x 1/2"	10	2,096
1180BISFFG	1" x 3/4"	10	3,413



**Manicotto ridotto FF
in ferro zincato**
Galvanized iron FF
reduced sleeve

cod.	misura	pz. x conf.	euro cad.
1184F000AB	1/4" x 1/8"	10	1,853
1184F000AC	3/8" x 1/8"	10	1,424
1184F000BC	3/8" x 1/4"	10	1,219
1184F000CD	1/2" x 3/8"	10	1,560
1184F000DB	1/2" x 1/4"	10	1,560
1184F000DF	3/4" x 1/2"	10	1,999
1184F000FC	3/4" x 3/8"	10	2,243
1184F000GD	1" x 1/2"	10	3,656
1184F000GF	1" x 3/4"	10	3,413
1184F000BG	1"1/4 x 1"	10	15,698



**Barilotto in ferro
zincato**
Galvanized iron tank
with double thread

cod.	misura	pz. x conf.	euro cad.
1174F00C80	3/8" x 80 mm	10	2,145
1174F0C100	3/8" x 100 mm	10	2,340
1174F0C150	3/8" x 150 mm	10	3,023
1174F0C200	3/8" x 200 mm	10	3,608
1174F00D80	1/2" x 80 mm	10	1,316
1174F0D100	1/2" x 100 mm	10	1,463
1174F0D150	1/2" x 150 mm	10	1,950
1174F0D200	1/2" x 200 mm	10	2,486
1174F00F80	3/4" x 80 mm	10	1,560
1174F0F100	3/4" x 100 mm	10	1,950
1174F0F150	3/4" x 150 mm	10	2,243
1174F0F200	3/4" x 200 mm	10	3,023
1174F00G80	1" x 80 mm	10	2,243
1174F0G100	1" x 100 mm	10	2,486
1174F0G150	1" x 150 mm	10	3,266
1174F0G200	1" x 200 mm	10	4,193

TAPPI PROVA IMPIANTI
TESTING PLUG



**Tappo prova impianti
in "PP" con o-ring da
1/2"**

Testing plug in "PP"
1/2" with o-ring

cod.		pz. x conf.	euro cad.
1190NTB000	blu	50	0,370
1190NTR000	rosso	50	0,370
1190NTG000	giallo	50	0,370



**Tappo prova impianti
in nylon da 1/2" con
o-ring**

Testing plug in nylon
1/2" with o-ring

cod.		pz. x conf.	euro cad.
1190NTTA00	azzurro	50	0,682
1190NTTR00	rosso	50	0,682



**Tappo prova impianti
filetto in ottone 1/2"**
con o-ring

Testing plug with
brass insert thread
1/2" and o-ring

cod.		pz. x conf.	euro cad.
11900TTB0D	blu	50	2,103
11900TTR0D	rosso	50	2,103