



	cod.	misura	pz. x conf.	euro cad.
<b>Canotto in ottone cromato</b>	1227026X20	26 x 200 mm	10	3,120
	1227026X25	26 x 250 mm	10	3,740
<b>Chrome plated brass pipe</b>	1227026X30	26 x 300 mm	10	4,250
	1227030X20	30 x 200 mm	10	3,270
	1227030X25	30 x 250 mm	10	3,970
	1227030X30	30 x 300 mm	10	4,470
	1227032X20	32 x 200 mm	10	3,560
	1227032X25	32 x 250 mm	10	4,220
	1227032X30	32 x 300 mm	10	4,950
	1227040X20	40 x 200 mm	10	6,280
	1227040X25	40 x 250 mm	10	7,670
	1227040X30	40 x 300 mm	10	8,150
	122726X100	26 x 1000 mm	10	15,000
	122730X100	30 x 1000 mm	10	16,100
	122732X100	32 x 1000 mm	10	16,900
	122740X100	40 x 1000 mm	10	29,700



	cod.	misura	pz. x conf.	euro cad.
<b>Canotto con battuta in ottone cromato</b>	1228026X20	26 X 200 mm	10	3,170
	1228026X25	26 x 250 mm	10	3,800
<b>Chrome plated brass pipe with shoulder</b>	1228026X30	26 x 300 mm	10	4,450
	1228030X20	30 x 200 mm	10	3,350
	1228030X25	30 x 250 mm	10	4,100
	1228030X30	30 x 300 mm	10	4,670
	1228032X20	32 x 200 mm	10	3,650
	1228032X25	32 x 250 mm	10	4,280
	1228032X30	32 x 300 mm	10	5,000
	1228040X20	40 x 200 mm	10	6,430
	1228040X25	40 x 250 mm	10	7,200
	1228040X30	40 x 300 mm	10	9,100



	cod.	misura	pz. x conf.	euro cad.
<b>Canotto con attacco curvo in ottone cromato</b>	1229026X20	26 x 200 mm	10	7,150
	1229026X25	26 x 250 mm	10	8,270
<b>Chrome plated brass pipe with bended connection</b>	1229026X30	26 x 300 mm	10	9,400
	1229030X20	30 x 200 mm	10	7,150
	1229030X25	30 x 250 mm	10	8,270
	1229030X30	30 x 300 mm	10	9,400
	1229032X20	32 x 200 mm	10	7,800
	1229032X25	32 x 250 mm	10	9,100
	1229032X30	32 x 300 mm	10	10,300



	cod.	misura	pz. x conf.	euro cad.
<b>Canotto curvo in ottone cromato</b>	1230026X15	26 x 150 x 250 mm	10	8,560
	12300026X1	26 x 150 x 300 mm	10	9,660
<b>Chrome plated brass bended pipe</b>	1230026X20	26 x 200 x 250 mm	10	9,660
	123026X250	26 x 250 x 300 mm	10	11,900
	1230030X15	30 x 150 x 250 mm	10	8,560
	123030X150	30 x 150 x 300 mm	10	9,660
	1230030X20	30 x 200 x 250 mm	10	9,660
	123030X250	30 x 250 x 300 mm	10	11,350
	1230032X15	32 x 150 x 250 mm	10	9,680
	123032X300	32 x 150 x 300 mm	10	10,900
	1230032X20	32 x 200 x 250 mm	10	10,900
	123032X250	32 x 250 x 300 mm	10	13,530



	cod.	misura	pz. x conf.	euro cad.
<b>Canotto in ottone cromato con curva 45°</b>	1233030X10	30 x 100 x 140 mm	10	5,930
	1233030X14	30 x 140 x 140 mm	10	6,600
	1233030X16	30 x 160 x 160 mm	10	7,600

Chrome plated brass pipe with bend 45°



	cod.	misura	pz. x conf.	euro cad.
<b>Canotto con spostamento da 25 mm in ottone cromato</b>	1235000030	30 mm	10	10,400
	1235000032	32 mm	10	11,300

Chrome plated brass pipe with 25 mm off set



	cod.	misura	pz. x conf.	euro cad.
<b>Canotto flessibile cromato</b>	1231026X20	26 x 200 mm	10	5,650
<b>Chrome plated flexible copper pipe</b>	1231026X25	26 x 250 mm	10	5,900
	1231026X30	26 x 300 mm	10	6,680
	1231030X20	30 x 200 mm	10	6,000
	1231030X25	30 x 250 mm	10	6,530
	1231030X30	30 x 300 mm	10	7,500
	1231032X20	32 x 200 mm	10	6,160
	1231032X25	32 x 250 mm	10	6,780
	1231032X30	32 x 300 mm	10	7,740



	cod.	misura	pz. x conf.	euro cad.
<b>Canotto in ottone cromato con flangia maggiorata per sifoni da 1"1/4</b>	4013000000	26 x 250 mm	10	5,580
	4013CD0000	26 x 250 mm con dado ottone	10	7,800

Chrome plated pipe with brass nut oversized flange for siphon size 1"1/4



	cod.	misura	pz. x conf.	euro cad.
<b>Prolunga per canotto in ottone cromato con o-ring</b>	1238NT0026	26 x 130 mm	10	4,120
	1238NT0030	30 x 130 mm	10	4,400
<b>Chrome plated brass extension with o-ring</b>	1238NT0032	32 x 130 mm	10	4,600
	1238NT0040	40 x 130 mm	10	6,550



	cod.	misura	pz. x conf.	euro cad.
<b>Canotto in ottone cromato per scarico lavatrice/lavastoviglie</b>	1358C26X25	26 x 250 mm	5	13,000
	1358C30X25	30 x 250 mm	5	13,300
<b>Chrome plated brass pipe for washing and disher machine inlet pipe</b>	1358C32X25	32 x 250 mm	5	13,800



	cod.	misura	pz. x conf.	euro cad.
<b>Giunto ridotto in ottone cromato per tubi piombo a saldare</b>	6001000001	32 mm ridotto 26 mm	10	4,450
	6001000002	40 mm ridotto 32 mm	10	5,160

Chrome plated brass connection for drain pipe, with o-ring

	cod.	misura	pz. x conf.	euro cad.
<b>Canotto in ottone cromato per scarico lavatrice/lavastoviglie completo di pipetta</b>	1358P26X25	26 x 250 mm	5	15,200
	1358P30X25	30 x 250 mm	5	15,500
	1358P32X25	32 x 250 mm	5	16,000

Chrome plated brass pipe for washing and disher machine complete with inlet pipe connection



	cod.	misura	pz. x conf.	euro cad.
<b>Giunto ridotto in ottone nudo per tubi piombo a saldare</b>	6001000032	32 mm ridotto 26 mm	10	4,150
	6001000040	40 mm ridotto 32 mm	10	4,600

Yellow brass connection for drain pipe, with o-ring

	cod.	misura	pz. x conf.	euro cad.
<b>Giunto a saldare in ottone nudo</b>	6000000026	26 mm	10	2,300
	6000000030	30 mm	10	2,460
	6000000032	32 mm	10	2,560
	6000000040	40 mm	10	3,560

Yellow brass connection for drain pipe, with o-ring on both sides





**Prolunga in ottone cromato per canotto con o-ring di tenuta**

Chrome plated brass connection for pipe, with o-rings on both sides

cod.	misura	pz. x conf.	euro cad.
6002000026	26 mm	10	3,300
6002000030	30 mm	10	3,720
6002000032	32 mm	10	3,820
6002000040	40 mm	10	5,760



**Giunto in ottone cromato ridotto con o-ring di tenuta**

Chrome plated brass connection, fixing o-ring on both sides

cod.	misura	pz. x conf.	euro cad.
6001CR3226	32 x 26 mm	10	4,500
6001CR4032	40 x 32 mm	10	5,500



**Manicotto in gomma nera per giunzione canotto**

Black rubber tube connection

cod.	misura	pz. x conf.	euro cad.
6004G26X26	26 x 26 mm	10	1,653
6004G26X32	26 x 32 mm	10	1,200
6004G32X32	32 x 32 mm	10	2,115
6004G40X26	40 x 26 mm	10	1,795
6004G40X32	40 x 32 mm	10	1,363
6004G40X40	40 x 40 mm	10	1,363



**Giunzione in PP bianco con 2 ghiera e guarnizione di tenuta**

White PP connection with 2 nuts and fixing gasket

cod.	misura	pz. x conf.	euro cad.
6004PL0026	26 x 26 mm	10	6,160
6004PL2632	26 x 32 mm	10	6,750
6004PL0032	32 x 32 mm	10	6,160
6004PL3240	40 x 32 mm	10	6,750
6004PL0040	40 x 40 mm	10	6,750



**Rosone in ottone cromato per canotti eccentrici ø105 mm**

Chrome plated brass rosette for excentric pipe ø105 mm

cod.	misura	pz. x conf.	euro cad.
1236000026	foro 26 mm	10	6,100
1236000030	foro 30 mm	10	6,100
1236000032	foro 32 mm	10	6,100



**Rosetta per rubinetto in ottone cromato ø 60 mm**

Tap chrome plated brass rosette ø 60 mm

cod.	misura	pz. x conf.	euro cad.
125000000C	foro 3/8"	100	0,700
125000000D	foro 1/2"	100	0,700

**Rosetta per rubinetto in acciaio inox ø 60 mm**

Stainless steel tap rosette ø 60 mm

cod.	misura	pz. x conf.	euro cad.
1250I0000C	foro 3/8"	100	0,170
1250I0000D	foro 1/2"	100	0,170