




Raccordo portagomma metano diritto in ottone nudo - femmina

Yellow brass straight hose connection F for natural gas

cod.	misura	pz. x conf.	euro cad.
139200000C	F 3/8"	10	2,300
139200000D	F 1/2"	10	2,700



Raccordo portagomma metano in ottone nudo tipo curvo - femmina

Yellow brass bended hose connection F for natural gas

cod.	misura	pz. x conf.	euro cad.
139300000C	F 3/8"	10	3,800
139300000D	F 1/2"	10	4,400



Raccordo portagomma metano diritto in ottone cromato - femmina

Chromed plated brass straight hose connection F for natural gas

cod.	misura	pz. x conf.	euro cad.
13920C000C	F 3/8"	10	2,400
13920C000D	F 1/2"	10	2,900



Raccordo portagomma metano in ottone cromato tipo curvo - femmina

Chrome brass bended hose connection F for natural gas

cod.	misura	pz. x conf.	euro cad.
13930C000C	F 3/8"	10	4,200
13930C000D	F 1/2"	10	4,800



Raccordo portagomma metano in ottone nudo tipo diritto - maschio

Yellow brass straight hose connection for natural gas M

cod.	misura	pz. x conf.	euro cad.
139400000C	M 3/8"	10	2,000
139400000D	M 1/2"	10	2,300



Raccordo portagomma metano in ottone nudo tipo curvo - maschio

Yellow brass bended hose connection M for natural gas


cod.	misura	pz. x conf.	euro cad.
139500000C	M 3/8"	10	4,200
139500000D	M 1/2"	10	4,900



Raccordo portagomma metano ottone cromato tipo diritto - maschio

Chromed plated brass straight hose connection M for natural gas


cod.	misura	pz. x conf.	euro cad.
13940C000C	M 3/8"	10	2,200
13940C000D	M 1/2"	10	2,600



Raccordo portagomma metano in ottone cromato tipo curvo - maschio

Chromed brass bended hose connection M for natural gas


cod.	misura	pz. x conf.	euro cad.
13950C000C	M 3/8"	10	4,500
13950C000D	M 1/2"	10	5,300




	cod.	misura	pz. x conf.	euro cad.
Raccordo portagomma GPL in ottone nudo tipo diritto - femmina	139600000C	F 3/8"	10	1,900
	139600000D	F 1/2"	10	2,500
GPL yellow brass straight hose connection F				




	cod.	misura	pz. x conf.	euro cad.
Raccordo portagomma GPL in ottone nudo tipo curvo - femmina	139700000C	F 3/8"	100	3,600
	139700000D	F 1/2"	100	3,800
GPL yellow brass bended hose connection F				




	cod.	misura	pz. x conf.	euro cad.
Raccordo portagomma GPL in ottone cromato tipo diritto - femmina	13960C000C	F 3/8"	10	2,400
	13960C000D	F 1/2"	10	2,900
GPL chrome plated brass straight hose connection F				




	cod.	misura	pz. x conf.	euro cad.
Raccordo portagomma GPL in ottone cromato tipo curvo - femmina	13970C000C	F 3/8"	100	4,000
	13970C000D	F 1/2"	100	4,300
GPL chrome plated brass bended hose connection F				



	cod.	misura	pz. x conf.	euro cad.
Raccordo portagomma GPL in ottone nudo tipo diritto - maschio	139800000C	M 3/8"	10	1,800
	139800000D	M 1/2"	10	2,300
GPL yellow brass straight hose connection M				



	cod.	misura	pz. x conf.	euro cad.
Raccordo portagomma GPL in ottone nudo tipo curvo - maschio	139900000C	M 3/8"	10	3,600
	139900000D	M 1/2"	10	4,200
GPL yellow brass bended hose connection M				



	cod.	misura	pz. x conf.	euro cad.
Raccordo portagomma GPL in ottone cromato tipo diritto - maschio	13980C000C	M 3/8"	10	2,200
	13980C000D	M 1/2"	10	2,700
GPL chrome plated brass straight hose connection M				



	cod.	misura	pz. x conf.	euro cad.
Raccordo portagomma GPL in ottone cromato tipo curvo - maschio	13990C000C	M 3/8"	10	4,000
	13990C000D	M 1/2"	10	5,000
GPL chrome plated brass bended hose connection M				


Raccordo portagomma tipo diritto in ottone cromato

Chrome plated brass straight hose connection

cod.	misura	pz. x conf.	euro cad.
6014M0000D	M 1/2" ø 14 mm	10	4,600
6014F0000D	F 1/2" ø 14 mm	10	4,600


Raccordo portagomma in ottone cromato tipo diritto

Chrome plated brass straight connection

cod.	misura	pz. x conf.	euro cad.
1398L00000	M 1/2" ø 9 mm	10	3,800
1396L00000	F 1/2" ø 9 mm	10	3,800


Tubo gas metano in PVC con inserzione tessile a norma

UNI-CIG 7140 e marchio IMQ

PVC tube for natural gas UNI-CIG and IMQ Standard rules

cod.	misura	mt. x conf.	euro mt.
1387000000	ø 20 x 13 mm	50	2,500


Tubo gas liquido in PVC con inserzione tessile a norma

UNI-CIG 7140 e marchio IMQ

PVC tube for liquid gas UNI-CIG and IMQ Standard rules

cod.	misura	mt. x conf.	euro mt.
1389000000	ø 13 x 8 mm	50	1,300


Guaina flessibile spiralata in materiale plastico autoestinguente classe "UL 94 V.0" per rivestimento tubi rame

Flexible plastic material for copper tube "UL 94 V.0" self extinguisher

cod.	misura	mt. x conf.	euro mt.
1555500020	ø 20 mm	25	1,250
1555500025	ø 25 mm	25	1,600
1555500030	ø 30 mm	25	2,100
1555500035	ø 35 mm	25	2,600
1555500040	ø 40 mm	25	3,100
1555500050	ø 50 mm	25	4,450


Guaina estensibile-comprimibile "Yellowfless" in PP autoestinguente classe "UL 94 V.0" a norme UNI-CIG 7129

Extensible and compressible PP "Yellowfless" "UL 94 V.0" UNI-CIG 7129 standard rule-self extinguisher

cod.	misura	mt. x conf.	euro mt.
1924310020	ø 20 mm	50	1,000
1924310025	ø 25 mm	50	1,250
1924310030	ø 30 mm	50	1,500
1924310040	ø 40 mm	50	2,600


Fascetta stringitubo per tubo gas

Hose clamps for gas pipe

cod.	misura	pz. x conf.	euro cad.
1388001220	12-22 mm	200	0,740
1388001625	16-28 mm	200	0,750